



REVISIONS		
NO.	DATE	PARTICULAR
1	2017.08.21	ISSUED FOR BUILDING PERMIT & TENDER
2	2017.08.22	ISSUED FOR CLIENT REVIEW
3	2017.10.06	ISSUED FOR CLIENT REVIEW
4	2017.10.12	ISSUED FOR TENDER

NOTES:

COORD. W/ S/A4.2A FOR ADDITIONAL NOTATIONS

16mm P/T PLYWD. 140x8mm WD. STD @400mm o/c MAX. MINERAL WOOL INSUL. 16mm SHEATHING TYVEK MEMBRANE 50mm RIGID INSUL. 175mm ENG. D. VERT. T. GRIS @300mm o/c MAX. 123 AIR SPACE 16mm P/T PLYWD. TWFF MEMBRANE 25mm ENG. D. METAL FRAMING 25mm ENG. D. METAL FRAMING ALUM. COMP. PANEL

HIDDEN LINES OF HORIZ. SUPPORT THE BACK TO STRUCT. STEEL BEAM FOR LATERAL SUPPORT

COPPER TWFF [COLOUR TO MATCH OPENING INFILL FRAME BELOW] W/ 100mm UPTURN ON BACK & ENDS FASTENED TO WALL SUBSTRATE TO WEEP TO EXT. C/W DRIP / SAFETY / HEMMED EDGE WHERE EXP. D TYP.

INSTALL PRE-FIN. [COLOUR TO MATCH SOFFIT VENER] FRV REGLET 1680-V PER. VENT W/ WD. STRIP FILLER. ENSURE TO LEAVE VOID FOR DRAINAGE TYP.

S/S CAVITY CLOSURES @ ALL OPENING PER.S [FLANGES TO BE AS WIDE AS INSUL. THICKNESS TYP.]. INSTALL TYVEK MEMBRANE FROM ABOVE DOWN & OVER CAVITY CLOSURE & FLASHING TO DRAIN TO EXT. [NOT TO BE SEEN VISUALLY PAST THE DRIP EDGE]

PRELIMINARY
NOT TO BE USED FOR CONSTRUCTION



CLIENT:
TOWNSHIP OF McNAB / BRAESIDE

PROJECT:
21688

McNAB / BRAESIDE MUNICIPAL BUILDING
2473 RUSSETT DRIVE, ARNPRIOR, ONTARIO K7S 3G8

ORIGINAL PAGE SIZE ARCH D - 24" x 36"
KEY TO DETAIL LOCATION:
A - DETAIL NO.
B - DETAIL NO. ORIGIN

ARCHITECTS
THE VENITIN GROUP LTD

+VG

A4.2A

DRAWN BY: SR / JS CHECKED BY: PV

All dimensions and measurements shall be checked and verified by the General Contractor. Reproduction of drawings and related documents in whole or in part is prohibited without written permission of the Venitin Group.