



REVISIONS		
NO.	DATE	PARTICULAR
1	2017.08.21	ISSUED FOR BUILDING PERMIT & TENDER
2	2017.08.22	ISSUED FOR CLIENT REVIEW
3	2017.10.06	ISSUED FOR CLIENT REVIEW
4	2017.10.12	ISSUED FOR TENDER

NOTES:

1. THERM. BROKEN ALUM. CURTAIN WALL C/W INSUL. DOUBLE GLAZING. CAULK ALL INT. & EXT. FRAME PER.'S EXCEPT TO DRAIN TYP. (COORD. W/ A8 DWG.'S)

2. LINE OF MILLION BELOW

3. SILL BELOW

4. INSTALL PER.' C' CHANNEL FRAMING AS REQ.'D W/ CONCEALED FASTENING FOR PANEL INFILL. CAULK PER.'S TYP.

5. INSTALL AN. ALUM. INFILL PANEL FROM END OF INT. WALL PARTITION TO BACK SIDE OF MILLION. U/S CEILING / TOP JAMB / TOP MILLION TO WINDOW SILL / BOTTOM MILLION. FILL SOLID W/ MINERAL WOOL INSUL. CAULK ALL PER.'S TYP.

PRELIMINARY
NOT TO BE USED FOR CONSTRUCTION



CLIENT:
TOWNSHIP OF McNAB / BRAESIDE

PROJECT:
21688
McNAB / BRAESIDE MUNICIPAL BUILDING

2473 RUSSETT DRIVE, ARNPRIOR, ONTARIO K7S 3G8

ORIGINAL PAGE SIZE ARCH D - 24" x 36"
KEY TO DETAIL LOCATION:
A - DETAIL NO.
B - DETAIL NO. ORIGIN

ARCHITECTS
 THE VENITIN GROUP LTD.

A4.4
 DRAWN BY: DD / JS CHECKED BY: XX

All dimensions and measurements shall be checked and verified by the General Contractor. Reproduction of drawings and related documents in whole or in parts is prohibited without written permission of the Venitin Group.