

ALUMN. WINDOW AND FRAME			CR LAWRENCE OFFICE PARTITION SYSTEM			HM / WD DOOR & HM FRAME SCHEDULE			WALL OPENING SCHEDULE		
DESCRIPTION EXTERIOR ENTRANCE DOOR			DESCRIPTION			DESCRIPTION PASSAGE DOOR			DESCRIPTION		
NO.	ELEVATION	DOOR	NO.	ELEVATION	DOOR	NO.	ELEVATION	DOOR	NO.	ELEVATION	DOOR
D1		TYPE	TYPE	D3		TYPE	TYPE	D6		TYPE	TYPE
		SIZE	1070 X 2375			SIZE	965 X 2719			SIZE	915 (36") X 2150
		MATL	ALUMN			MATL	WD			MATL	WD
		FINISH	PTD			FINISH	PTD			FINISH	PTD
		GLASS	NOTE 2			GLASS	NOTE 2			GLASS	NOTE 2
		FRAME				FRAME				FRAME	
		TYPE	NOTE 3			TYPE	NOTE 3			TYPE	NOTE 3
		MATL	ALUMN SCREEN			MATL	HWD			MATL	HWD
		FINISH	PTD			FINISH	PTD			FINISH	PTD
		HEAD	50			HEAD	50			HEAD	50
JAMB	50	JAMB	50	JAMB	50						
REMARKS			REMARKS			REMARKS			REMARKS		
D2a D2b		TYPE	TYPE	D4		TYPE	TYPE	D7		TYPE	TYPE
		SIZE	965 X 2300			SIZE	935 X 2150			SIZE	965 (38") X 2150
		MATL	HM			MATL	WD			MATL	WD
		FINISH	PTD			FINISH	PTD			FINISH	PTD
		GLASS	NOTE 2			GLASS	NOTE 2			GLASS	NOTE 2
		FRAME				FRAME				FRAME	
		TYPE	NOTE 3			TYPE	NOTE 3			TYPE	NOTE 3
		MATL	HM			MATL	HWD			MATL	HWD
		FINISH	PTD			FINISH	PTD			FINISH	PTD
		HEAD	50			HEAD	50			HEAD	50
JAMB	50	JAMB	50	JAMB	50						
REMARKS			REMARKS			REMARKS			REMARKS		
D5 D5b		TYPE	TYPE	D8		TYPE	TYPE	D9		TYPE	TYPE
		SIZE	965 X 2134			SIZE	965 (38") X 2150			SIZE	2-1225 X 2150
		MATL	WD			MATL	HM			MATL	WD
		FINISH	PTD			FINISH	PTD			FINISH	PTD
		GLASS	NOTE 2			GLASS	NOTE 2			GLASS	NOTE 2
		FRAME				FRAME				FRAME	
		TYPE	NOTE 3			TYPE	NOTE 3			TYPE	NOTE 3
		MATL	HWD			MATL	HM			MATL	HM
		FINISH	PTD			FINISH	PTD			FINISH	PTD
		HEAD	50			HEAD	50			HEAD	50
JAMB	50	JAMB	50	JAMB	50						
REMARKS			REMARKS			REMARKS			REMARKS		
D10		TYPE	TYPE	D10		TYPE	TYPE	D10		TYPE	TYPE
		SIZE	2-775 X 2150			SIZE	2-775 X 2150			SIZE	2-775 X 2150
		MATL	WD			MATL	WD			MATL	WD
		FINISH	PTD			FINISH	PTD			FINISH	PTD
		GLASS	NOTE 2			GLASS	NOTE 2			GLASS	NOTE 2
		FRAME				FRAME				FRAME	
		TYPE	NOTE 3			TYPE	NOTE 3			TYPE	NOTE 3
		MATL	HWD			MATL	HWD			MATL	HWD
		FINISH	PTD			FINISH	PTD			FINISH	PTD
		HEAD	50			HEAD	50			HEAD	50
JAMB	65	JAMB	65	JAMB	65						
REMARKS			REMARKS			REMARKS			REMARKS		

**DOOR & FRAME / SCREEN SCH. NOTES**

IT IS THE RESPONSIBILITY OF THE DOOR, FRAME & HARDWARE MANUFACTURER TRADES TO CO-ORDINATE & EXECUTE THEIR WORK TOGETHER.

DIMENSIONS INDICATED ARE R.O. - VERIFY ALL OPENING DIMENSIONS ON SITE PRIOR TO FABRICATION & ORDERING

COORDINATE WITH TYPICAL DOOR & WINDOW DETAILS PROVIDED.

1. COORDINATE WITH FLOOR PLANS ON LIFE SAFETY DRAWING(S) FOR FIRE SEPARATIONS REQUIRED FIRE RATED DOORS.  
2HR. FIRE SEPARATION TO HAVE 1 1/2HR. FIRE RATED DOORS/FRAMES.  
1HR FIRE SEPARATIONS TO HAVE 3/4 HR. FIRE RATING DOORS/FRAMES.  
1/2HR. FIRE SEPARATIONS TO HAVE 20MIN. FIRE RATED DOORS/FRAMES

2. ALL FIRE RATED DOORS & SCREENS WITH GLAZING "GL" TO HAVE "FIRELITE" GLAZING AS REQUIRED INCLUDING ALL EXPOSURE SITUATIONS. ALL NON RATED GLAZING TO BE TEMPERED TYP. ALL EXTERIOR FLOOR GLAZING TO BE LAMINATED SAFETY GLASS. ALL EXTERIOR DOORS & SCREENS TO HAVE INSULATED DOUBLE GLAZING, INTERIOR SINGLE GLAZING.

3. ALL FRAMES FOR CONCRETE BLOCK WALLS & GYPSUM BOARD WALLS / PARTITIONS SHALL BE WRAP AROUND TYPE FOR WALL THICKNESS UP TO 190mm (TO BE SNUG / TIGHT FIT ON WALL SYSTEM THAT THEY ARE INSTALLED ON / IN) OVER 190mm WALLS TO RECEIVE 172mm FRAMES. (COORD. WITH FLOOR PLANS FOR WALL THICKNESS & LOCATIONS) (COORDINATE WITH A8 DETAILS)

4. FRAMES SHALL BE WRAP AROUND TYPE FOR WALL THICKNESS UP TO 190mm.  
124mm GYP. BD. WALLS TO RECEIVE 146mm FRAME.  
140mm GYP. BD. WALLS TO RECEIVE 168mm FRAME.  
153mm GYP. BD. WALLS TO RECEIVE 172mm FRAME.  
156mm GYP. BD. WALLS TO RECEIVE 172mm FRAME.  
169mm GYP. BD. WALLS TO RECEIVE .....  
184mm GYP. BD. WALLS TO RECEIVE 222mm FRAME.  
OVER 190mm GYP. BD. WALLS TO RECEIVE 172mm FRAMES. COORDINATE WITH FLOOR PLANS FOR WALL THICKNESS & LOCATIONS OF BUTT FRAMES & TO DETAILS ON THIS SHEET.

**GENERAL NOTES:**

COORDINATE WITH FLOOR PLANS & ELEVATIONS FOR LOCATIONS, REQUIRED FRAME WIDTH, 170" DOOR SWINGS & QUANTITY OF REQUIRED DOORS, FRAMES & SCREENS.

ALL FINISH HARDWARE INFORMATION SHOWN TO BE COORDINATED & VERIFIED WITH THE APPROVED HARDWARE SCHEDULE, INCLUDING BUT NOT LIMITED TO HOLD OPEN DEVICES, ELECTRIC STRIKES, SECURITY KEYPADS, AUTO DOOR OPENERS, CLOSERS, PANIC DEVICES, MAGNETIC HOLD-OPENS, OVERHEAD STOPS, PUSH PLATES, KICK PLATES & ANY OTHER DOOR HARDWARE REQUIREMENTS.

SOUND / ACOUSTIC RATINGS:  
COORD. W/ WALL TYPES FOR SOUND RATINGS (STC) & FLR. PLANS FOR WALL TYPE LOCATIONS. ALL DOORS, DOOR FRAMES, SCREENS & GLAZING THAT REQUIRE SOUND RATINGS TO HAVE SOUND PROOFING, SEALS @ PER'S, RECESSED AUTOMATIC DROP DOWN SEALS AT SILLS, 12mm TEMPERED GLAZING.  
WD. FRAMES SHM VOID FILLED SOLID W/ SOUND BATT INSUL.  
HM FRAMES ON CONC. BLOCK CONST. FILLED SOLID W/ MORTAR.  
HM FRAMES ON METAL / WD. FRAME CONST. TO HAVE BATT INSUL. OF 50mm+25mm FRICTION FIT INTO FRAME BEFORE INSTALL TO ENSURE COMPRESSION OF BATT WHEN INSTALLED

COORD. W/ ELEC. DWG'S FOR EXIT SIGN & ELEC. EQUIP. LOCATIONS.

ALL ALUM. DOORS TO HAVE HEAVY DUTY BALL BEARING HINGES. ALL. H.M. & WOOD DOORS TO HAVE 3 BALL BEARING HINGES. ALL EXTERIOR H.M. DOORS TO HAVE 4 HINGES.

ALL EXTERIOR H.M. DOORS TO BE INSULATED. 16 Ga. CONT. WELDED CW STIFFENER PLATES CW WEATHER STRIPPING. FRAMES TO BE THERMALLY BROKEN

IN ALL CORRIDOR DOORS & HIGH TRAFFIC AREAS, PROVIDE 16 GAUGE CONT. WELDED DOORS & 3 HEAVY DUTY BALL BEARING HINGES.


ALL WASHROOM DOORS TO BE UNDERCUT BY 25mm (1") UNLESS NOTED OTHERWISE BY MECH.

**SHOP DRAWINGS**

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO ENSURE DOOR(S), SCREEN(S), FRAME(S) & THEIR HARDWARE MANUF. S TRADES COORD. & EXECUTE THEIR WORK TOGETHER & LABEL IDENTIFYING INFO. FOR ALL DOOR(S), SCREEN(S), FRAME(S) SCH'S TO MATCH THE IDENTIFICATION TAG LABELS HERE. NOT HAVING DIFF. LABELS & DIM. UNITS ON SHOP DWG'S THAN TENDERED DOCUMENTS TYP. (REVISE & RESUBMIT SHOP DWG'S WILL BE RETURNED IF THIS FORMAT IS NOT FOLLOWED W/ NO REVIEW UNDERTAKEN)

**Revision Schedule**

No.	Date	Particular
1	2017.10.11	ISSUE FOR BUILDING PERMIT & TENDER
2	2017.08.22	ISSUE FOR CLIENT REVIEW
3	2017.10.06	ISSUE FOR CLIENT REVIEW
4	2017.10.12	ISSUE FOR TENDER



**Client:**  
Township of McNab Braeside

**Project:**  
21688  
McNab / Braeside Municipal Building  
2473 RUSSETT DRIVE, ARNPRIOR, ONTARIO K7S 3G8

**+ V G ARCHITECTS**  
THE VENTIN GROUP LTD

**A8.1**

C:\Users\jken\Documents\M&B - Town Hall Building - 2017-07-04 (2018 Rev1) - dwg\kajeplyvg.com.rvt