



NOTE:
 ALL MEMBERS ARE GLULAM UNLESS NOTED
 1. ALL GLULAM TO BE S-F 20 F-e
 2. ALL GLULAM CONNECTIONS INCLUDING HOLD DOWNS ARE TO BE DESIGNED BY GLULAM SUPPLIER.
 3. ALL ROOF FRAMING TO BE FLUSH.
 4. ALL SAW LUMBER TO SPF No. 2 OR BETTER.
 5. ALL WOOD EXPOSED TO EXTERIOR TO BE TREATED WITH WATERPROOFING SEALER AND TO EXTEND 150mm PAST WALL MEMBRANE.

LOADS - OFFICE/COUNCIL CHAMBER

STRUCTURE	0.20 kPa
SHEATHING	0.10
RFN'G & INSUL	0.40
MECH/ELEC/MISC	0.30
TOTAL LOAD	3.40 kPa

LOADS - VESTIBULE

STRUCTURE	0.25 kPa
STEEL DECK	0.10
BOARD	0.10
RFN'G & INSUL	0.60
CEILING	0.20
MECH/ELEC/MISC	0.20
TOTAL LOAD	3.85 kPa

No.	REVISION	DATE
7	ISSUE FOR TENDER	OCT 11, 2017
6	ISSUE FOR TENDER REVIEW	OCT 06, 2017
5	ISSUE FOR TENDER	AUG 24, 2017
4	ISSUE FOR BUILDING PERMIT	AUG 18, 2017
3	ISSUE FOR COORDINATION	AUG 11, 2018
2	ISSUE FOR PRICING	AUG 09, 2017
1	ISSUE FOR CLIENT REVIEW	JULY 07, 2017

No.	REVISION	DATE
-----	----------	------

1. THE CONTRACTOR IS RESPONSIBLE FOR CHECKING AND VERIFYING ALL DIMENSIONS. ANY DISCREPANCY SHALL BE REPORTED TO THE ENGINEER.
 2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL MATERIAL RELEVANT TO THE PROJECT.
 3. ADDITIONAL INFORMATION MAY BE ISSUED FOR CLARIFICATION TO ASSIST PROPER EXECUTION OF WORK. SUCH DRAWINGS WILL HAVE THE SAME MEANING AND INTENT AS IF THEY WERE INCLUDED WITH THE DRAWINGS IN THE CONTRACT DOCUMENTS.
 4. DO NOT SCALE DRAWINGS

PROJECT
 1632 McNAB / BRAESIDE TOWN HALL

ARCHITECT
 +VG ARCHITECTS

DRAWING
 ROOF PLAN

CUNLIFE & ASSOCIATES
 CONSULTING STRUCTURAL ENGINEERS
 102-1737 WOODWARD DR. OTTAWA ON K2C 0P9
 TEL (613) 728-7242 FAX (613) 728-1461
 Email: cunlife@cunlife.ca

ENGINEERS SEAL

SCALE: As indicated

DRAWN: PMD	REVIEWED: JC
PROJECT No: 17-052	SHEET No: S102
REVISION No: 7	

