

LIFE SAFETY PLAN LEGEND

- TRAVEL DISTANCE IN METERS
- 60 — 60 — 1 HR. FIRE SEPARATION RATING
- 120 — 120 — 2 HR. FIRE SEPARATION RATING
- NEW EXIT LIGHT
- NEW EXIT LIGHT W/ DIRECTIONAL ARROW(S)
- EXIT DOORS
- POWER DOOR OPENER
- ACCESSIBLE TURNING CIRCLE Ø1500
- PB — PUSH BAR FOR POWER DOOR OPERATOR - 610mm MIN. FROM THE DOOR SWING TOWARDS THE BUTTON TO 1500mm MAX.
- CR — CARD READER (925mm A/F/F TO CENTER OF BUTTON TYP.)
- FEC / FE — FIRE EXTINGUISHER / FIRE EXTINGUISHER & CABINET (1500mm MAX. A/F/F TO TOP OF EXTINGUISHER FOR UNDER 18KG'S) ((1100mm MAX A/F/F TO TOP OF EXTINGUISHER OVER 18KG.'S NOT EQUIP.'D W/ WHEELS) VERIFY W/ LOCAL AUTHORITIES)
- FHC — RECESSED FIRE HOSE CABINET (METAL STUD FRAME - INSTALL WALL THICKNESS TO ENSURE RECESS)
- EXTENTS OF 1HR. CEILING ASSEMBLY RATING COORD. W/ OBC MATRIX FOR ASSEMBLY RATING DESIGN (HORIZONTAL CAVITY SHAFT WALL SYSTEM: Design BMEC-89-01-1180)
- EXTENTS OF 2HR. CEILING ASSEMBLY RATING COORD. W/ OBC MATRIX FOR ASSEMBLY RATING DESIGN - (PRE-STRESSED CONCRETE SLAB & TOPPING) AS PER CLIENT REQUEST NOT REQUIRED PER O.B.C.

NOTES

- MIN. HEADROOM CLEARANCE 2.1m IN EVERY ACCESS TO EXIT REQ.'D 3.3.1.8

1 / A0.3 LIFE SAFETY PLAN

0 1 2 5m

REVISIONS

NO.	DATE	PARTICULAR
1	2017.08.21	ISSUED FOR BUILDING PERMIT & TENDER
2	2017.08.22	ISSUED FOR CLIENT REVIEW
3	2017.10.06	ISSUED FOR CLIENT REVIEW
4	2017.10.12	ISSUED FOR TENDER

NOTES:

PRELIMINARY
NOT TO BE USED FOR CONSTRUCTION

All dimensions and measurements must be checked and verified by the General Contractor

Reproduction of drawings and related documents in whole or in part is forbidden without written permission of The Ventin Group.

CLIENT:
TOWNSHIP OF McNAB / BRAESIDE

PROJECT:
21688

McNAB / BRAESIDE MUNICIPAL BUILDING

2473 RUSSETT DRIVE, ARNPRIOR, ONTARIO K7S 3G8

ORIGINAL PAGE SIZE ARCH D - 24" x 36"

KEY TO DETAIL LOCATION:
A - DETAIL NO.
B - DETAIL NO. ORIGIN

+VG ARCHITECTS
THE VENTIN GROUP LTD

CN N

LIFE SAFETY PLAN

A0.3

DRAWN BY : RH CHECKED BY : YR

Filename: K:\1VG-Ottawa\Ottawa Projects\McNab-Braeside Municipal Office-21688\Drawings\Wd-Current\M&B Town Hall - A0.2 & A0.2A.dwg
Plot Date: Oct 26, 2017 - 1:12pm By: sroenz