


GENERAL NOTE(S):

- 1- GRILLES ON FLOOR DRAINS TO BE CLEANED UP.
- 2- ALL EXISTING UNDER GROUND PIPING IS TO BE SCANNED. MAKE A CD WITH A REPORT ON THE CONDITION OF THE UNDER GROUND DRAINAGE. CLEAN UP
- 3- SEE DETAILS AND DIAGRAMS ON PAGES M-210, M-211 AND M-212 FOR ALL ACCESSORIES AND VALVES TO BE PROVIDED AND INSTALLED. DRAWINGS 210 AND ABOVE.
- 4- NO DOMESTIC WATER PIPES, SEWAGE PIPES OR VENTS TO PASS IN THE OUTSIDE WALL, PIPING TO BE SURFACE MOUNTED. THIS INCLUDES MOST OF THE EXISTING WALLS IN THE EXISTING BUILDING.
- 5- HOLES HAVE ALREADY BEEN MADE THROUGH FLOORS AND WALLS FOR PAST FIT-UP, REUSE IF POSSIBLE OTHERWISE TO BE CAPPED OFF BY GENERAL CONTRACTOR AND NEW HOLES TO BE MADE TO FIT ACCOMODATE THE REFURBISHED SPACE.

IDENTIFICATION(S):

- 1 SUMP PUMP SP-2 CONTROL PANEL.
- PROVIDE AND INSTALL A CLIENT WATER METER AS PER CITY OF OTTAWA REQUIREMENTS.
- NEW BACK FLOW PREVENTER. SEE INSTALLATION DETAIL & SPECIFICATIONS ON PAGE M-211.
- 4 NEW VENT FOR SUMP PUMP SP-2. SURFACE MOUNTED.
- 5 REMOVE TEMPORARY GRILLE ON FLOOR DRAIN AND REPLACE WITH A GRILLE AND LARGE FUNNEL.
- 6 NEW DRAINAGE FOR PUMPING STATION OUTLET, SURFACE MOUNTED, CONNECT TO NEW SERVICE.
- 7 DOMESTIC WATER PUMP SET C/W INTEGRATED CONTROL PANEL AND VARIABLE SPEED CONTROLS.
- (8) REMOTE MOUNTED DRAWDOWN TANK, SEE PUMP SPECIFICATIONS ON



	CO C		© © © © © © © © © © © © © © © © © © ©	0 0 0 0 0 0 0 0 0 0 0 0	<u> </u>
∧ REV	′I ⊏ \∧/				

<u> </u>				
	Nº	Date	Description	
;	0	2018-06-01	FOR TENDER	

A NEW		
D,		







MAISON DE DE LA FRANCOPHONIE D'OTTAWA

2720 RICHMOND ROAD, OTTAWA

MECHANICAL PLUMBING BASEMENT NEW LAYOUT

Project n°: 7342-001-000 2018-06-01 Scale: 1/4" = 1'-0"

Drawing n⁰

M-200