

- 1 VENT STACK TO BE THERMALLY INSULATED FROM UNDER SIDE OF ROOF TO A MIN OF 10'-0" UNDER THE FLOOR SLAB, INSULATION AS PER SPECIFICATIONS.
- 2 RAIN WATER LEADER TO BE THERMALLY INSULATED FROM UNDER SIDE OF ROOF TO A MIN OF 10'-0" UNDER THE FLOOR SLAB, INSULATION AS PER SPECIFICATIONS.
- 3 NEW VENT TO FOLLOW SLOPED ROOF UP TO A CLEARANCE OF 8' THEN MOVE (HORIZONTALLY) AND LINE UP WITH UPPER ROOF VENT.

The site plan shows a rectangular plot with a main building footprint in the center-right. To the left of the building is a large parking area with numerous parking spaces. A 'PARKING ROAD' runs along the bottom-left boundary of the site. A 'MAIN ROAD' runs along the bottom boundary. A north arrow is located in the top-left corner of the plan, indicating the orientation of the site. The plan also shows various landscaping elements, including trees and shrubs, and a small structure or gate at the top-right corner.


[illegible]

Architect

JLR **J.L.Richards**
ENGINEERS - ARCHITECTS - PLANNERS
www.jlrichards.ca

Structure

Seal


2018-06-01

Title

MECHANICAL
PLUMBING
ATTIC SPACE NEW LAYOUT

Drawing n°	Revision
------------	----------

0