



- GENERAL NOTES:**
1. MATERIALS: ROLLED SECTION - G40.21M - 350W  
HSS(TUBE) SECTION - G40.21M - 350W CLASS C  
OTHER STEEL - G40.21M - 300W  
CONNECTION BOLT - A325M (BEARING TYPE)  
ANCHOR BOLTS - A307
  2. SHOP PANITING: ONE COAT OF PRIMER 1-73a GREY WITH STANDARD CLEANING.
  3. ALL STRUCTURAL STEEL SHALL COMPLY WITH CAN/CSA-S16 AND CAN/CSA-S136.
  4. WELDING TO CSA W47.1 & W59.3, CONNECTIONS AS PER CAN/CSA-S16 AND S136.
  5. SEE STRUCTURAL DRAWINGS FOR DESIGN LOADS.
  6. ALL PERIMETER ANGLES TO BE BUTT WELDED CONTINUOUS ON SITE.
  7. SEE CANAM DRAWINGS FOR DECK AND JOIST ERECTION DETAILS.

**ANCHOR BOLTS LAYOUT PLAN**

NOTE:  
1. ALL COLUMNS TO BE ON CENTRE OF GRID LINE TYPICAL U.N.O.  
2. ALL BASE PLATES TO BE ON CENTRE OF COLUMNS TYPICAL.  
3. ALL U/S BASE PLATES TO BE @ 175 BELOW THE TOP OF THE SLAB ON GRADE TYPICAL U.N.O.

**FORTRAN STEEL CONTRACTING LTD.**  
1340 COKER STREET, GREELEY, ONTARIO, K4P 1A1  
TEL: (613) - 821 - 4014, FAX: (613) - 821 - 4860  
EMAIL: DRAFTING@FORTANSTEEL.COM

PROJECT: TURNBULL SCHOOL MUSIC ROOM ADDITION  
LOCATION: 1132 FISHER AVE. OTTAWA ON

DWG. TITLE: ANCHOR BOLTS LAYOUT PLAN

0	03/10/18	For Approval
1	23/10/18	For Erection
REV	DATE	REMARKS

DRAWN BY: YANG  
DATE: 01/11/2017

CHKD BY: DATE  
01/11/2017

JOB NUMBER: 19-18  
DWG NUMBER: E01